



WATER FLOW CHART SERIES DN10 Semiconductor

	Tested by DEAH	Date 2020-10-21	Ref. no. 6611	Test tube 3/4"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 5,11	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 150 1180		10 150 6180		
Connection	Rc 3/4" female (BSPT)		Rc 3/4" female (BSPT)		
Remark	-		-		




WATER FLOW CHART SERIES DN10 Semiconductor

	Tested by DEAH	Date 2020-10-21	Ref. no. 6611	Test tube 3/4"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 5,05	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 150 1180		10 150 6180		
Connection	Rc 3/4" female (BSPT)		Rc 3/4" female (BSPT)		
Remark	-		-		



WATER FLOW CHART SERIES DN10 Semiconductor

	Tested by DEAH	Date 2020-10-21	Ref. no. 6611	Test tube 3/4"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 5,91	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 150 1180		10 150 6180		
Connection	Rc 3/4" female (BSPT)		Rc 3/4" female (BSPT)		
Remark	-		-		



WATER FLOW CHART SERIES DN10 Semiconductor

	Tested by DEAH	Date 2020-10-21	Ref. no. 6611	Test tube 3/4"	Flow direct. Nipple to Coupling
Temp. 72 °F	Cv: 5,84	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 150 1180		10 150 6180		
Connection	Rc 3/4" female (BSPT)		Rc 3/4" female (BSPT)		
Remark	-		-		

