



WATER FLOW CHART SERIES 288

	Tested by DEAH	Date CABMAH	Ref. no. 6861	Test tube ¼"	Flow direct. Coupling to Nipple
Temp. 20 °C	Kv: 1,21	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 288 1122		10 288 6122		
Connection	Rc 1/4"(BSPT) female		Rc 1/4"(BSPT) female		
Remark	-		-		




WATER FLOW CHART SERIES 288

	Tested by DEAH	Date CABMAH	Ref. no. 6861	Test tube ¼"	Flow direct. Nipple to Coupling
Temp. 20 °C	Kv: 1,30	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 288 1122		10 288 6122		
Connection	Rc 1/4"(BSPT) female		Rc 1/4"(BSPT) female		
Remark	-		-		



WATER FLOW CHART SERIES 288

	Tested by DEAH	Date CABMAH	Ref. no. 6861	Test tube ¼"	Flow direct. Coupling to Nipple
Temp. 72 °F	Cv: 1,40	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 288 1122		10 288 6122		
Connection	Rc 1/4"(BSPT) female		Rc 1/4"(BSPT) female		
Remark	-		-		



WATER FLOW CHART SERIES 288

	Tested by DEAH	Date CABMAH	Ref. no. 6861	Test tube ¼"	Flow direct. Nipple to Coupling
Temp. 72 °C	Cv: 1,50	Coupling(Socket)	Nipple(Plug)		
Reg. no.	-		-		
CEJN Product	10 288 1122		10 288 6122		
Connection	Rc 1/4"(BSPT) female		Rc 1/4"(BSPT) female		
Remark	-		-		

